

# SYFOVRE FACTS:

- **1<sup>st</sup>** FDA-approved treatment for Geographic Atrophy (GA)
- **#1** chosen treatment for GA by physicians\*
- Slows down GA in as few as **6** doses/year†
- **+1,200** people in the largest clinical trial program of approved GA treatments
- **+2,300** eye care offices treating GA with SYFOVRE‡
- **+510,000** injections given to date§

**Take action. Slow GA with SYFOVRE.**



\*Estimate from available eye care professional injection demand data as of 1/3/25. The underlying data set may not represent the entire patient population.

†Your doctor will decide how often you receive SYFOVRE (once every 25–60 days).

‡Figure reflects number of sites of care that ordered SYFOVRE from 2/2023 through 12/31/24.

§Figure includes clinical trial and estimated real-world injections as of 1/3/25.

## What is SYFOVRE?

SYFOVRE is a prescription eye injection, used to treat geographic atrophy (GA), the dry advanced form of age-related macular degeneration (AMD).

## IMPORTANT SAFETY INFORMATION

### Who should NOT receive SYFOVRE?

Do not receive SYFOVRE if you have an infection or active swelling in or around your eye that may include pain and redness, or are allergic to pegcetacoplan or any ingredients in SYFOVRE. SYFOVRE can cause serious allergic reactions such as trouble breathing, tongue, face, lips, or mouth swelling, rashes, and hives.

**Please see Important Safety Information on pages 2–3 and accompanying Brief Summary.**

**SYFOVRE**<sup>®</sup>  
(pegcetacoplan injection)  
15mg / 0.1mL



# Important Safety Information

## What is SYFOVRE®?

SYFOVRE® (pegcetacoplan injection) is a prescription eye injection, used to treat geographic atrophy (GA), the dry advanced form of age-related macular degeneration (AMD).

## Who should NOT receive SYFOVRE?

Do not receive SYFOVRE if you have an infection or active swelling in or around your eye that may include pain and redness, or are allergic to pegcetacoplan or any ingredients in SYFOVRE. SYFOVRE can cause serious allergic reactions such as trouble breathing, tongue, face, lips, or mouth swelling, rashes, and hives.

## SYFOVRE can cause serious side effects:

- Eye infection (endophthalmitis) or separation of layers of the retina (retinal detachment)
  - Call your healthcare provider right away if you have eye redness, light sensitivity, eye pain, or any change in vision including blurred, wavy/distorted vision, small specks floating in your vision, or flashing lights
- Severe inflammation of vessels in the retina which may result in severe vision loss. Call your healthcare provider right away if you have eye redness, light sensitivity, eye pain, or any change in vision including blurred, wavy/distorted vision, or flashing lights
- Risk of developing wet AMD. You should be monitored for signs of wet AMD and you should report if you have any change in vision including blurred, wavy/distorted vision, black spots, or loss of central vision to your healthcare provider
- Episodes of eye inflammation. You should report any symptoms including eye redness, light sensitivity, eye pain, small specks floating in your vision, or any changes in vision to your healthcare provider
- Increase in eye pressure within minutes of the injection. Your healthcare provider will monitor this after each injection



### **Before receiving SYFOVRE:**

- **Tell your healthcare provider if any of the following applies to you:**
  - If you have a history of seeing flashes of light or small specks floating in your vision and notice a sudden increase of size and number of these specks
  - If you have high pressure in the eye or glaucoma
- **Tell your healthcare provider about all of your medical conditions,** including
  - If you are, or think you are pregnant, breastfeeding, or are planning to have a baby, ask your doctor for advice before taking this medicine
- **Tell your healthcare provider about all the medicines you take,** including prescription and over-the-counter medicines, vitamins, and herbal supplements

### **What should I avoid while receiving SYFOVRE?**

- After an injection or an eye exam, your eyesight may temporarily be impaired. Do not drive or use machinery until your vision recovers

### **What are the most common side effects of SYFOVRE?**

- Eye discomfort
- Wet age-related macular degeneration
- Small specks floating in vision
- Blood in the white of the eye

These are not all the possible side effects of SYFOVRE. Tell your healthcare provider about any side effect that bothers you or does not go away.

Call your healthcare provider for medical advice about side effects. You may report side effects to the FDA at **1-800-FDA-1088** or **[www.fda.gov/medwatch](http://www.fda.gov/medwatch)**.





**SYFOVRE**<sup>®</sup>  
(pegcetacoplan injection)  
15mg/0.1mL



Act on facts. Talk to  
your doctor today and  
visit **SYFOVRE.com**

Apellis

APELLIS<sup>®</sup>, SYFOVRE<sup>®</sup> and their respective logos are registered trademarks of Apellis  
Pharmaceuticals, Inc. ©2025 Apellis Pharmaceuticals, Inc. 1/25 US-PEGGA-2400382 v1.0



# SYFOVRE<sup>®</sup>

(pegcetacoplan injection)  
15mg/0.1mL

Pronunciation: **SIE • FO • VREE**

## Important facts about SYFOVRE

This summary contains risk and safety information for patients about SYFOVRE. It does not include all the information about SYFOVRE and does not take the place of talking to your eye doctor about your medical condition or treatment.

## What is SYFOVRE?

SYFOVRE is a prescription eye injection, used to treat geographic atrophy (GA), the dry advanced form of age-related macular degeneration (AMD).

## How is SYFOVRE given?

SYFOVRE is an injection administered by your eye doctor into the eye.

## What is the most important information I should know about SYFOVRE?

### Who should NOT receive SYFOVRE?

Do not receive SYFOVRE if you have an infection or active swelling in or around your eye that may include pain and redness, or are allergic to pegcetacoplan or any ingredients in SYFOVRE. SYFOVRE can cause serious allergic reactions such as trouble breathing, tongue, face, lips, or mouth swelling, rashes, and hives.

### SYFOVRE can cause serious side effects:

Injection into the eye with SYFOVRE can result in an infection in the eye or retinal detachment (separation of retina from back of the eye) can occur.

- Call your healthcare provider right away if you have eye redness, light sensitivity, eye pain, or any change in vision including blurred, wavy/distorted vision, small specks floating in your vision, or flashing lights

Severe inflammation of vessels in the retina which may result in severe vision loss. Call your healthcare provider right away if you have eye redness, light sensitivity, eye pain, or any change in vision including blurred, wavy/distorted vision, or flashing lights.

Risk of developing wet AMD. You should be monitored for signs of wet AMD and you should report if you have any change in vision including blurred, wavy/distorted vision, black spots, or loss of central vision to your healthcare provider.

Episodes of eye inflammation. You should report any symptoms including eye redness, light sensitivity, eye pain, small specks floating in your vision, or any changes in vision to your healthcare provider.

Increase in eye pressure within minutes of the injection. Your healthcare provider will monitor this after each injection.

### Before receiving SYFOVRE:

Tell your healthcare provider if any of the following applies to you:

- If you have a history of seeing flashes of light or small specks floating in your vision and notice a sudden increase of size and number of these specks
- If you have high pressure in the eye or if you have glaucoma

Tell your healthcare provider about all of your medical conditions, including if you are pregnant or breastfeeding. If you think you may be pregnant, or are planning to have a baby, ask your doctor for advice before taking this medicine.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

### What should I avoid while receiving SYFOVRE?

After an injection with SYFOVRE or an eye exam, your eyesight may temporarily be impaired. Do not drive or use machinery until your vision recovers.

### What are the most common side effects of SYFOVRE?

- Eye discomfort
- Wet age-related macular degeneration
- Small specks floating in vision
- Blood in the white of the eye

These are not all the possible side effects of SYFOVRE. Tell your healthcare provider about any side effect that bothers you or that does not go away.

### Call your healthcare provider for medical advice about side effects.

You may report side effects to the FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

### Where can I learn more about SYFOVRE?

For a more comprehensive review of SYFOVRE safety and risk information, talk to your healthcare provider and see the full Prescribing Information at SYFOVRE.com.

SYF-PI-20Dec2024-3.0